



FACILITY PROGRAMMING STANDARDS

**STATE UNIVERSITY OF NEW YORK
IN CONSULTATION WITH STATE UNIVERSITY CONSTRUCTION FUND**

Catalogue of Net Square Foot Allowance

AiM - FICM Code 100 - 800

Updated July 2018

100 Classroom Facilities

item No.	AiM - FICM Code 100	Former PSI Code	Academic Level	Room Name Aim - Location	Determinant Capacity	User	Square Foot per Location	Square Foot per Station
<u>Classroom & Service</u>								
1	110	1001	Any	Active Learning Classroom*	Under 20	Student		28
2	110	1001	Any	Seminar, Group Classroom	Under 20	Student		26
3	110	1001	Any	Classroom	21-40	Student		24
4	110	1001	Any	Classroom	41-60	Student		22
5	115	1050	Any	Classroom Service			10%	
<u>Lecture Hall & Service</u>								
6	110.10	1100	Any	Lecture Hall	60	Seat		20
7	115.15	1250	Any	Prep & Storage		Facility	120 or 10%	
8	110.10	1100	Any	Lecture Hall	120	Seat		20
9	115.15	1250	Any	Prep & Storage		Facility	240 or 10%	
10	110.10	1100	Any	Lecture Hall	240	Seat		20
11	115.15	1250	Any	Prep & Storage		Facility	480 or 10 %	
12	110.10	1100	Any	Lecture Hall	360	Seat		20
13	115.15	1250	Any	Prep & Storage		Facility	480	
14	110.10	1100	Any	Lecture Hall	480	Seat		20
15	115.15	1250	Any	Prep & Storage		Facility	480	
16	110.10	1100	Any	Lecture Hall	600	Seat		20
17	115.15	1250	Any	Prep & Storage		Facility	480	
18	110.10	1100	Any	General Lecture Room	200+	Student		18
Note: If primary non-instructional as room and service will code under FICM 610, 615 or PSI 6500, 6502								
*Classroom with movable furniture, more equipment								

200 Laboratory Facilities

item No.	AiM - FICM 200	Former PSI Code	Academic Level	Room Name Aim - Location	Determinant Capacity	User	Square Foot per Location	Square Foot per Station
<u>Class Lab & Service</u>								
<u>Science General</u>								
19	210	1300	UG	All Science Labs	24	Student	1440	60
20	210	1300	Grad	All Science Labs	16	Student	1152	72
21	215	1350	Any	Prep & Storage	Any	Student	20%	
<u>Arts - Performing</u>								
22	210	1300	Any	Class-Lab Theater	Facility		2340	
23	210	1300	Any	Stage Craft Studios	Facility		1200	
24	210	1300	Any	Dance Studio	Facility		1440	
25	210	1300	Any	Instrument Rehearsal Room	Vary	Student		26
26	215	1350	Any	Instrument Storage	Facility		720	
27	210	1300	Any	Choral Rehearsal Room	Vary	Student		22
28	215	1350	Any	Music Storage	Facility		480	
<u>Education</u>								
29	210	1300	UD	Curriculum Lab	Vary	Student		50
30	210	1300	UD	Workroom	Facility			15-22
31	210	1300	UD	File room	Facility		150	
32	210	1300	Any	Statistics Lab	Vary	Student		40
33	210	1300	Any	Data Processing	Facility		450	
34	210	1300	Any	Teach Machine Lab	Vary	Student		72
<u>Engineering</u>								
35	210		UG	Engineering Lab	Vary	Student		120
36	210		Grad	Engineering Lab	Vary	Student		150
37	215		Any	Prep & Storage	Facility		20%	
<u>Librarian</u>								
38	210	1300	UD	Library School	Vary	Student		40
39	215	1350		Book Space	Facility		750	
40	210	1300	UD	Cataloguing Lab	Vary	Student		48
41	210	1300	UD	Reference Lab	Vary	Student		45
42	210	1300/1301	UD	Children's Literature Room	Vary	Student		45
<u>Mathematics</u>								
43	210	1300	Any	Statistics & Model Lab	Vary	Student		72
44	210	1301	Any	Computer Room	Vary	Student		35
45	215	1350	Any	Lab Storage		Dept.	240	
46	215	1351	Any	Server Room	Facility	Dept.	240	
<u>Physical & Biological</u>								
47	210	1300	UG	All Science Labs	24	Student	1440	60
48	210	1300	Grad	All Science Labs	16	Student	1152	72
49	215	1350	Any	Prep & Storage	Any	Student	20%	
<u>Physical</u>								
50	210	1301	UG	Special Physics, Chemistry, Astronomy, Geology Labs	Vary	Student		60
51	210	1301	Grad	Special Physics, Chemistry, Astronomy, Geology Labs	Vary	Student		72
52	210	1300	Grad	Physical Science Departmental Research	Vary	Student		150
53	215	1350	Any	Prep & Storage	Any	Student	20%	
54	210	1300/1301	Any	Instrument Lab	Any	Student		72

200 Laboratory Facilities

item No.	AiM - FICM 200	Former PSI Code	Academic Level	Room Name Aim - Location	Determinant Capacity	User	Square Foot per Location	Square Foot per Station
55	220.10	1300/1302	Any	Roof Observatory	Any	Student		72
56	220.20	1300/1303	Any	Planetarium	30	Student	900	30
57	215	1350/1351	Any	Tech Instrument Lab	Any	Technician		150
58	210	1300/1301	Any	Atomic Physics Lab (including Cubicle)		Faculty	1000	
59	210	1300/1301	Any	Radio Isotope Lab (including Counting	Facility		1200	
60	210	1300/1301	Any	Optics Darkroom	20	Student/Fac	800	40
61	215	1301/1352	Any	Special Equipment & Project Room	Facility		480	
62	215	1350	Any	Darkroom	Facility		120	
63	215	1350	Any	Balance Room	Facility	Lab	320	
64	215	1350/1353	Any	High Pressure Lab	Any	Lab(s)		5
65	215	1350/1353	Any	Quiet Room	Any	Lab(s)		2.5
66	215	1350/1353	Any	Counting Room	Facility		750	
67	215	1350/1353	Any	Cold Room	Facility		150	
68	215	1350/1353	Any	Ice Room	Facility		150	
69	215	1350/1353	Any	Battery Room	Facility		300	
70	215	1350/1353	Any	Distill (Deminer) Room	Facility		200	
71	215	1350/1353	Any	Lapidary & Balance Room	Facility		450	
72	215	1352	Any	Stockroom	Facility		1800	
73	215	1352	Any	Departmental Storage		Department	750	
74	215	1352	Any	Bulk Volatile Chem. & Acid Storage	Facility		825	
75	215	1352	Any	Earth Science Specimen Storage	Facility		3000	
76	215	1353	Any	X-Ray & Control	Facility		300	
77	215	1353	Any	Computer Room	Facility		1500	
78	215	1353	Any	Statistics Room	Facility		300	
79	215	1353	Any	Model (Carpentry, Mechanic, Electric) Workshop & Storage	Facility		750	
80	215	1353	Any	Glass Blowing Shop	Facility		450	
		<u>Biological</u>						
81	210	1301	UG	Special Bio Science Labs	Vary	Student		60
82	210	1301	Grad	Special Bio Science Labs	Vary	Student		72
83	210	1300	Grad	Bio Science Departmental Research	Vary	Student		150
84	215	1350	Any	Prep & Storage	Any	Student	20%	
85	215	1350	Any	Darkroom (Biology)	Facility		75	
86	215	1350/1353	Any	Refrigeration Room			150	
87	215	1350/1353	Any	Counting Room		Student		45
88	215	1350/1353	Any	Aquarium Room		Animal	300	
89	215	1350/1353	Any	Small Animal Room		Animal	450	
90	215	1350/1353	Any	Large Animal Room		Animal	600	
91	215	1350/1353	Any	Animal Food Storage/Prep	Facility		300	
92	215	1350/1353	Any	Greenhouse	Facility		1800	0.5/ft
93	215	1350/1353	Any	Workroom-Headhouse	Facility		300	
94	215	1350/1353	Any	Herb & Mntg. Room	Facility		450	
95	215	1350/1353	Any	Constant Temperature Room	Facility		150	
96	215	1352	Any	General Stockroom		Department	1200	
97	215	1353	Any	X-Ray Room &	Facility		225	
98	215	1353		Control Room			75	
		<u>Social Science</u>						
99	210	1300	UG	Anthropology Lab	Vary	Student		60
100	210	1300	Grad	Anthropology Lab	Vary	Student		72
101	210	1300	Any	Cartography Lab	20	Student	1200	60
102	215	1350		Map Room	Facility		120	7.5
103	210	1300	Any	Geography Lab	25	Student	1500	60
104	215	1350		Workroom & Storage	Facility		240	12
105	210	1300	UG	Psychology Lab	Vary	Student		60

200 Laboratory Facilities

item	AiM - FICM	Former	Academic	Room Name	Determinant	Square Foot	Square Foot	
No.	200	PSI Code	Level	Aim - Location	Capacity	User	per Location	per Station
152	210	1300	LD	General Industrial Lab	Vary	Student	1200	72
153	210	1300	LD	Diesel Engineering Lab	Vary	Student		150
154	210	1300	LD	Drafting Room	Vary	Student		72
155	210	1300	LD	Electric Lab	Vary	Student		75
156	210	1300	LD	Electric Machinery Lab	Vary	Student		125
157	210	1300	LD	Electric Power Lab	Vary	Student		125
158	210	1300	LD	Electronics Lab	Vary	Student		75
159	210	1300	LD	Heating & Air Conditioning Lab	Vary	Student		150
160	210	1300	LD	Internal Combustion Lab	Vary	Student		100
161	210	1300	LD	Machine Tool Lab	Vary	Student		150
162	210	1300	LD	Masonry Lab	Vary	Student		110
163	210	1300	LD	Materials Test Lab	Vary	Student		100
164	210	1300	LD	Metallurgy - Stress Lab	Vary	Student		100
165	210	1300	LD	Welding Lab	Vary	Student		75
166	215	1350	LD	Storage	Facility		450	
167	210	1300	Grad	Voc Technology Research	1	Student		200
	<u>Open Lab & Service</u>							
168	220.10	1302	Any	Ensemble Rehearsal Room	4	Student	120	
169	220.10	1302	Any	Ensemble Rehearsal Room	7	Student	240	
170	220.10	1302	Any	Piano Rehearsal Room	6	Student	480	
171	220.10	1302	Any	Piano (Electronic)	Vary	Student		35
172	220.10	1302	Any	Individual Instrument Practice	1	Student		100
173	220.10		Any	Computer Lab		Student		35
174	225		Any	Open Lab Service	Facility		10%	
	<u>Special Service</u>							
175	215	1353 or 200	UG & G	Biological Museum	Vary	Occupant		40
176	215	1353 or 200	UG & G	Science/Math Museum	Vary	Occupant		35
177	215	1353 or 200	UG & G	Display Cases & Storage	Vary	Occupant		5
178	215	1352	Any	Department Supplies	Facility		750	

200 Laboratory Facilities Certificate Vocational Program

item No.	AiM - FICM Code 200	Former PSI Code	Academic Level	Room Name Aim - Location	SqFt per Lab Capacity 20-24	SqFt per Lab Capacity 25-30	Avg. Sf per Station Enrollment >61
<u>Agriculture</u>							
179	210	1300	Post H.S.	Agricultural Production	1500	1875	68
180	210	1300	Post H.S.	Dairy Cattle Management	1500	1875	68
181	210	1300	Post H.S.	Farm Mechanics	6000	7500	275
182	210	1300	Post H.S.	Greenhouse Management	1500	1875	68
183	210	1300	Post H.S.	Institution Grounds Keeper	1500	1875	68
184	210	1300	Post H.S.	Pest Control (Exterminators)	1500	1875	68
<u>Automotive Service</u>							
185	210	1300	Post H.S.	Aerospace Service Aide	6000	7500	275
186	210	1300	Post H.S.	Air Frame Mechanics	6000	7500	275
187	210	1300	Post H.S.	Air Craft Power Plant	6000	7500	275
188	210	1300	Post H.S.	Auto Eng. & Power Train	6000	7500	275
189	210	1300	Post H.S.	Auto Mechanics (Elem)	6000	7500	275
190	210	1300	Post H.S.	Auto Mechanics (Adv.)	6000	7500	275
191	210	1300	Post H.S.	Automotive Body & Chassis	6000	7500	275
192	210	1300	Post H.S.	Auto Mechanics (Body)	6000	7500	275
193	210	1300	Post H.S.	Automotive Service	6000	7500	275
194	210	1300	Post H.S.	Auto Transmissions	4000	5000	180
195	210	1300	Post H.S.	Diesel Mechanics (Welding)	4000	5000	180
196	210	1300	Post H.S.	Heavy Equipment	6000	7500	275
197	210	1300	Post H.S.	Power Plant Mechanics	6000	7500	275
198	210	1300	Post H.S.	Small Engines	4000	5000	180
<u>Building Construction</u>							
199	210	1300	Post H.S.	Building Construction	5000	6250	230
200	210	1300	Post H.S.	Carpentry (Elem)	5000	6250	230
201	210	1300	Post H.S.	Carpentry (Adv.)	5000	6250	230
202	210	1300	Post H.S.	Electrical Construction & Maintenance	3000	3750	140
203	210	1300	Post H.S.	Masonry	4000	5000	180
204	210	1300	Post H.S.	Plumbing & Heating	4000	5000	180
205	210	1300	Post H.S.	Plumbing Heating & Pipe Fitting	4000	5000	180
206	210	1300	Post H.S.	Wood Products	5000	6250	230
207	210	1300	Post H.S.	Building Interior Services	3000	3750	140
<u>Business & Personal Services</u>							
208	210	1300	Post H.S.	Data Processing	1800	2250	82
209	210	1300	Post H.S.	Beginning Office Worker	1500	1875	68
210	210	1300	Post H.S.	Clerical-Stenographic	1500	1875	68
211	210	1300	Post H.S.	Machine Clerical	1500	1875	68
212	210	1300	Post H.S.	Office Practice	1500	1875	68
213	210	1300	Post H.S.	Secretarial Practice	1500	1875	68
214	210	1300	Post H.S.	Commercial Driving	750	750	N/A
215	210	1300	Post H.S.	Commercial Hostess	1500	1875	68
216	210	1300	Post H.S.	Practical Nursing	2500	3125	120
<u>Food Services</u>							
217	210	1300	Post H.S.	Chef	3000	3750	140
218	210	1300	Post H.S.	Commercial Cooking	3000	3750	140
219	210	1300	Post H.S.	Food Services	3000	3750	140
<u>General Repair Services</u>							
220	210	1300	Post H.S.	Appliance Repair	3000	3750	140

200 Laboratory Facilities Certificate Vocational Program

item No.	AiM - FICM Code 200	Former PSI Code	Academic Level	Room Name Aim - Location	SqFt per Lab Capacity 20-24	SqFt per Lab Capacity 25-30	Avg. Sf per Station Enrollment >61
221	210	1300	Post H.S.	Electronic Equipment Repair	3000	3750	140
222	210	1300	Post H.S.	Instrument Repairman	3000	3750	140
223	210	1300	Post H.S.	Library Aides & Book. Binding	2000	2500	90
224	210	1300	Post H.S.	Machines & Vending	3000	3750	140
<u>Graphic Arts</u>							
225	210	1300	Post H.S.	A.V. Educational Media	2000	2500	90
226	210	1300	Post H.S.	Commercial & Adv. Art	2000	2500	90
227	210	1300	Post H.S.	Drafting	2000	2500	90
228	210	1300	Post H.S.	Graphic Arts Cameraman	2000	2500	90
229	210	1300	Post H.S.	Offset Printing	3000	3750	140
230	210	1300	Post H.S.	Graphic Arts & Printing	3000	3750	140
<u>Industrial Trades</u>							
231	210	1300	Post. H.S.	Heating & Refrigeration Service	5000	6250	230
232	210	1300	Post. H.S.	Industrial Machine Tools	4000	5000	180
233	210	1300	Post. H.S.	Industrial Welding	3000	3750	230
234	210	1300	Post. H.S.	Machinist (Tool & Die)	4000	5000	180
235	210	1300	Post. H.S.	Refrig. & Air Conditioning	5000	6250	230
236	210	1300	Post. H.S.	Welding	3000	3750	140

*Note: "Room Type Code" includes within standard Lab Service Space which would be coded "1350" in PSI or "215" in FICM, if in a separate room.

250 Laboratory Facilities Research

item No.	AiM - FICM Code 250	Former PSI Code	Academic Level	Room Name Aim - Location	Determinant Capacity	User	Square Foot per Location	Square Foot per Station
<u>Departmental Research</u>								
237	250	2001	Faculty	Engineering Research	1	Faculty		450
238	250	2001	Grad	Engineering Research	1	Student		300
239	250	2001	Faculty	Physical Science Research	1	Faculty		300
240	250	2001	Grad	Physical Science Research	1	Student		150
241	250	2001	Faculty	Behavioral Science Research	1	Faculty	Req. Labs	150
242	250	2001	Grad	Behavioral Science Research	1	Student	Req. Labs	75
243	250	2001	Faculty	Social Science Research	1	Faculty		75
244	250	2001	Grad	Social Science Research	1	Student		40
Note: Standards for appropriate lab, lab support, office, etc. may be applied when programming research and support facility, if suitable.								
<u>By Academic Program</u>								
245	250		Grad	Module A		PI	1200	
				One Module in Doctoral Programs, One/half module for Master's Programs CIP 02, 03,				
			Grad	Module B		PI	800	
				One Module in Doctoral Programs, One/half module for Master's Programs CIP 40, 42, 51				
<u>By Faculty FTE</u>								
246	250		Faculty	Major Research		Faculty		450
247	250		Faculty	Health Sciences		Faculty		450
<u>General & Special Use Service</u>								
248	255	1352	Any	General or Special Storage or Equipment	Vary	Vary	% by dept. factor	
249	255	1352/1353	Any	Special Preparation Rooms, X-Ray Rooms, Temp Control Rooms, Equipment Rooms, Photo Labs, Electronic Labs and Specialty Design Rooms.			% by dept. factor	
250	255		Any	Research Service			12%	
<u>Research/Non-Class Lab & Service</u>								
<u>Experimental Stations/Science Research Center and Institutes:</u>								
251	250.10	2001	UD & High	Research Facilities	<3000 FTE			30 sf/fte faculty
					>3000 FTE			40 sf/fte faculty
252	250.10	3700	Staff	Research Office		Major Research		250 sf/fte faculty
253	255.10	2150	Any	Research Facility Service			12%	

300 Office Facilities

Departmental & Administrative Office

item No.	AIM - FICM Code 300	Former PSI Code	Academic Level	Room Name Aim - Location	Determinant Capacity	User	Square Foot per Location	Square Foot per Station
<u>Department Office</u>								
254	310.30	3001	Faculty	Office-Faculty	Division	Dean		240
255	310.30	3001	Faculty	Office-Faculty	Division	Chairman		240
256	310.30	3001	Faculty	Office-Faculty	Dept.	Head		180
257	310.30	3001	Faculty	Office-Faculty	Dept.	Chairman		180
258	310.30	3001	Faculty	Office-Faculty	1	Faculty		120
259	310.31	3100	Faculty	Office-Faculty Studio	1	Faculty		180
260	310.32	3200	Faculty	Office-Faculty Lab	1	Faculty		240
261	310.33	3300	Staff	Office-Faculty Staff	1	Secretary		120
262	310.33	3300	Staff	Office-Faculty Staff	3+	Secretary		80
263	310.35	3500	Staff	Office-Faculty Student	1+	GTA		60
264	310.35	3500	Staff	Office-Faculty Student	1	GTA		120
265	310.36	3600	Staff	Office-Faculty Technician	1+	Technician		100
266	310.36	3600	Staff	Office-Faculty Technician	1	Technician		120
267	310.38		Faculty	Office-Adjunct	1	Adjunct		40
268	310.50	5000	Staff	Office-Administrative	1	Staff		120
269	315.50	3450	Faculty	Conference Room -Faculty				20
270	315.50	3450	Dept.	Workroom, Reception Space, Supply, Storage, Records, File, Mailroom, Duplicating Room, etc.	Policy & Dept. Size		120, 10x6, 100, etc.	6% or Faculty FTEs x (160 - Office Area)
<u>Administrative Office</u>								
271	310.50	5000	Adm	Chief Admin Office	1	President	400	
272	310.50	5000	Adm	Study	1		120	
273	315.51	5051	Adm	File Room	Facility		100	
274	315.51	5051	Adm	Lavatory	Facility		40	
275	315.51	5051	Adm	Coat Closet	Facility		20	total of 680
276	315.51	5051	Adm	Waiting/Reception	Vary	Visitor	180	
277	310.50	5000	Adm	Secretary to Pres	1	Secretary	120	120
278	310.50	5000	Adm	Vice President	1	VP	320	320
279	310.50	5000	Adm	College Dean	1	Dean	240	240
280	310.50	5000	Adm	Program Director	1	Admin	180	180
281	310.50	5000	Adm	Program Admin. (Associate.)	1	Admin	180	180
282	310.50	5000	Adm	Other Administrators	1	Admin	120	120
283	310.50	5000	Adm	Secretary	1	Clerk	120	120
284	310.50	5000	Adm	Clerical & Steno Offices	2	Clerk	240	120
285	310.50	5000	Adm	Clerical & Steno Offices	> 3	Clerk	240+	80
286	310.50	5000	Adm	Offices for Business, Bursar, Personnel, Housing, Admission, Dean/Director Assistants, etc.	1 ea.	Officer		120
287	310.50	5000	Staff	Admission Space for: Library, IT & Central Services	Vary	Staff		120
288	315.51	5051	Adm	Active File Storage	Vary	File		10/file
289	315.51	5051	Adm	Reception Area	Vary	Vary		18
290	315.51	5051	Adm	Waiting Area	Vary	Vary		18
291	315.51	5051	Adm	Central Duplicating	Campus		1500	
292	315.51	5051	Adm	Mail Center/Room	< 3000	Enrollment	600	
293	315.51	5051	Adm	Mail Center/Room	3000-6000	Enrollment	800	
294	315.51	5051	Adm	Mail Center/Room	60001-10000	Enrollment	1200	
295	315.51	5051	Adm	Mail Center/Room	10001-20000	Enrollment	1600	
296	315.51	5051	Adm	Mail Center/Room	20001-30000	Enrollment	2000	

300 Office Facilities

Departmental & Administrative Office

item No.	AiM - FICM Code 300	Former PSI Code	Academic Level	Room Name Aim - Location	Determinant Capacity	User	Square Foot per Location	Square Foot per Station
297	315.51	5051	Adm	Walk-in-Safe (Vault)	Facility		80	
298	315.51	5051	Adm	Lounges	Vary	Occupant		20
299	315.51	5051	Adm	Kitchenettes			80	
300	315.51	5051	Adm	Storage	Dept		10%	
<u>Student Administration</u>								
301	310.50	5000	Adm	Director	1	Director		180
302	310.50	5000	Adm	Clerical	> 1	Clerk		120
303	310.50	5000	Adm	Chaplain	1	Chaplain		120
304	315.51	5051	Adm	Workroom	Vary	Occupant		20
305	350.52	5052	Adm	Conference Room	Vary	Occupant		20
<u>Office Service</u>								
306	315.51	5051	Adm	Admission	Facility		180	
307	315.51	5051	Adm	Recruit/Placement	Facility		80	
308	315.51	5051	Adm	Registrar	Facility		80	
309	315.51	5051	Adm	Dean of Students	Facility		80	
310	315.51	5051	Adm	Finance & Budget	Facility		180	
311	315.51	5051	Adm	Personnel	Facility		80	
312	315.51	5051	Adm	Public Relations	Facility		180	
313	315.51	5051	Adm	Dean of Grad School	Facility		80	
314	315.51	5051	Adm	Extension & Summer Program	Facility		80	
315	315.51	5051	Adm	Central Files	Facility		1500-3000	
316	315.51	5051	Adm	Data Processing	Facility		300	
<u>Conference Rooms</u>								
317	350	5052	Any	Conference		Vary		20
318	350.52	5052	Adm	Chief Conference Rooms	Facility		600	20
319	350.52	5052	Adm	Business Affairs	Facility		240	20
320	350.52	5052	Adm	Student Affairs	Facility		360	20
321	350.60	3460	Faculty	Faculty Conference Room	Vary	Occupant		20

400 Study Facilities

Library

item No.	AiM - FICM Code 400	Former PSI Code	Academic Level	Room Name Aim - Location	Capacity	Determinant User	Square Foot per Location	Square Foot per Station
<u>Stack</u>								
322	420	4000	Any	General Open Stack	Vary	Volume		15v/sf
323	420	4000	Any	Stacks (open & closed)	Up to 50M	Volume		14v/sf
324	420	4000	Any	Stacks (open & closed)	Over 50M	Volume		15v/sf
325	420	4000	Any	Stacks (reserve, etc.)	Vary	Volume		7.5v/sf
326	420	4000	Any	Current Periodic	Vary	Volume		2.33 title/sf
327	420	4000	Any	Microform Storage (allows for reels storage/counted as "Volumes" + 50% more space for other microform storage)	Vary	Micro Reel		30 micros/sf
328	420	4000	Any	Law Stack	0.14sf/first 150,000 volumes	0.12sf/second 150,000 volumes	0.1sf/next 300,000 volumes	0.09sf/all above 600,000 volumes
<u>Open-Stack Study Room</u>								
329	430	4000/4001	Any	Open-Stack Reading Rooms	Vary	Reader		25
330	430	4001	Any	General Reader Station (table carrel)	Vary	Reader		25
331	430	4001	Grad	Closed Carrel	1	Reader		30
332	430	4001	Faculty	Faculty Study	1	Faculty		50
333	430	4001	Any	Informal Lounge & Listening Rooms	Vary	Reader		20
334	430	4001	Any	Seminar Room	Vary	Seat		20
335	430	4001	Any	Computer Access Station	1	Reader		35
<u>Processing Room</u>								
336	440	4003	Any	Circulation Desk Area	< 5000	Enrollment	600	
337	440	4003	Any	Circulation Desk Area	> 5000	Enrollment	960	
338	440	4003	Any	Circulation Desk Workstation				80
339	440	4003	Any	Reference & Catalog	< 5000	Enrollment	1600	
340	440	4003	Any	Reference & Catalog	> 5000	Enrollment	2000	
341	440	4003	Any	Control & Reserve	Facility		480	
342	440	4003	Any	General Reader Service	Vary	Staff		120
343	440	4003	Any	Catalog Area	1000	Cards		0.42/1000 cards
<u>Study Service</u>								
344	455	4054	Any	General Staff Process Service	Vary	Staff		120
345	455	4054	Any	Circulation Workroom	Vary	Staff		180
346	455	4054	Any	Catalog Department	Vary	Staff		120
347	455	4054	Any	Repair & Bindery	Facility		480	
348	455	4054	Any	Central Duplicating	< 5000	Enrollment	120	
349	455	4054	Any	Central Duplicating	> 5000	Enrollment	300	
350	455	4054	Any	Photo Reproduction	Facility		480	
351	455	4054	Any	Receiving/Shipping	< 5000		320	
352	455	4054	Any	Receiving/Shipping	> 5000		360	
353	455	4054	Any	Staff, Locker, Lounge, Coat, Closet, etc.			Standards for Similar Space	
354	455	4055	Any	Library Supplies & Storage	Facility		720	
355	455		Any	Book Truck	Vary	Truck		5
356	455		Any	Equipment Loan	Facility		400	
<u>Library Administration</u>								
357	310.50	5000/01	Any	Office-Administrative		See "office - 310.50"		

500 Special Use Facilities

IT - Electronic Data Processing, Instructional Resources

Item No.	AiM - FICM Code 500	Former PSI Code	Academic Level	Room Name Aim - Location	Determinant Capacity	User	Square Foot per Location	Square Foot per Station
<u>Media Production Facilities & Services</u>								
358	530	1700	Any	T.V. (Teach) Studio	Facility		750	
359	530	1700	Any	T.V. (Projection) Room	Facility		600	
360	530	1700	Any	Multi-Use Studio	Facility		1500	
361	530	1700	Any	Control Room (Central)	Facility		750-1000	
362	535	1750	Any	Control Room (Studio)	Facility		240	
363	530	1700	Any	Video-Tape/Projection. Room	Facility		240-300	
364	535	1750	Any	Repair and Storage	Facility		150	
365	535	1750	Any	Prop & Set Storage	Facility		1500	
366	535	1750	Any	Equipment Storage	Facility		750	
367	530	1700	Any	Sound-film Studio	Facility		1000	
368	535	1750	Any	Control Booth	Facility		240	
369	530	1700	Any	Film Studio	Facility		1800	
370	530	1700	Any	Sound Recording Suite (Studio)	Facility		150	
371	530	1700	Any	Projection Space	Facility		75	
372	530	1700	Any	Rehearsal	Facility		240	
373	535	1750	Any	Rehearsal Storage	Facility		120	
374	530	1700	Any	Animation Studio	Facility		240	
375	535	1750	Any	Film Material Printing Lab	Facility		150	
376	535	1750	Any	Darkroom	Facility		75	
377	535	1750	Any	Chemical Storage	Facility		75	
378	535	1750	Any	Workroom	Facility		600	
379	535	1750	Any	Material Storage	Facility		150	
380	535	1750	Any	Preview Rooms	Facility		300	
381	535	1750	Any	Vault	Facility		150	
382	535	1750	Any	Graphic Arts Studio	Facility		600	
383	535	1750	Any	Storage	Facility		150	
384	535	1750	Any	Central Workshop	Facility		1500	
385	535	1750	Any	Workshop Storage	Facility		150	
386	535	1750	Any	Film Storage	Facility		900	
387	535	1750	Any	Equip. Storage	Facility		600	
388	535	1750	Any	Preview. Room	Facility		150	
389	535	1750	Any	Workroom	Facility		300	
390	535	1750	Any	Office/Rec.	Facility		240	
<u>E. D. P. Production & Service</u>								
391	710	5002	Any	Central Computer Server Room	Vary	Machine	No Standards	
392	715	5053	Any	Computer Storage, Repair, etc.	Vary	Technician	No Standards	
<u>E. D. P. Administration</u>								
393		5000/5051	Any	Office & Office Services	Vary	Staff	See Office - 310.50	
<u>Data Processing & Computer Work Space</u>								
394	710	5002	Adm	Data Processing Machine Room			1200-1500	
395	710	5002 & 5003	Adm	Data Processing Machine Room	Small		1200	
396	710		Adm	Data Processing Machine Room	Medium		2400	
397	710		Adm	Data Processing Machine Room	Large		3750	
398	710		Adm	Data Processing Machine Room	Very Large		5000	
<u>IT Administration</u>								
399		5000/5051	Adm	Office-Administrative & Office Services			See Office - 310.50	
Campus-wide			>5000 FTE	4000 sf core + (fte-5000) x 0.75 ansf/ft in excess of 5000 fte				
media production			<5000 FTE	2000 sf core + (fte-2000) x1 ansf/ft in excess of 2000 fte				

500 Special Use Facilities

Athletic or Physical Education

Item No.	AiM - FICM Code 500	Former PSI Code	Academic Level	Room Name Aim - Location	Determinant Capacity	User	Square Foot per Location	Square Foot per Station
<u>Athletic or PE Active Space</u>								
400	520	1600	UG	Gymnasium	<5000	Enrollment	15000	
401	520	1600	UG	Gymnasium	>5000	Enrollment	27500	
402	525	1650	UG	Radio & T.V. Room	Facility		150	
403	525	1650	UG	Gym Storage	Facility		750	
404	525	1650	UG	Gym Storage	<5000	Enrollment	1500	
405	525	1650		Gym Storage	>5000	Enrollment	2250	
406	520	1600	UG	Exercise/Body Mech. Rm.	<5000	Enrollment	600	
407	520	1600	UG	Exercise/Body Mech. Rm.	>5000	Enrollment	1000	
408	520	1600	UG	Cardio & Training	<5000	Enrollment	1600	
409	520	1600	UG	Cardio & Training	>5000	Enrollment	3200	
410	525	1650	UG	Storage	<5000	Enrollment	360	
411	525	1650	UG	Storage	>5000	Enrollment	600	
412	520	1600	Any	Handball Court		Game	20 x 40	
413	520	1600	Any	Squash Court		Game	32 x 18.5	
414	520	1600	Any	Minimum Indoor Playing Area	Vary	Student	110 x 50	
415	520	1600	UG	Auxiliary Gym	Vary	Student	6600	
416	525	1650	UG	Storage	Facility		360	
417	520	1600	UG	Dance Activity	Facility		2000	
418	525	1650	UG	Storage	Facility		180	
419	520	1600	UG	Swimming Pool (Including Deck)	<5000	Enrollment	6820	
420	520	1600		Swimming Pool (Including Deck)	>5000	Enrollment	9610	
421	525	1650	UG	Pool Storage			360	
422	520	1600 or 6001	Any	Bowling Alleys (4 lanes)	Facility		2200	
423	525	1650 or 6050	Any	Storage (Bowling Alley)	Facility		180	
<u>Net Athletic or PE Activity Standard</u>								
424	520	1600	Any	Collegiate Basketball Court		Game	94 x 50	
425	520	1600	Any	Hockey Rink		Game	185 x 85	
426	520	1600	Any	Tennis (Doubles)		Game	78 x 36	
427	520	1600	Any	Swimming Tank (AAU)		Game	75 x 45	
428	520	1600	Any	Swimming Tank (Olympic)		Game	50m x 45'	
429	520	1600	Any	Diving Tank (Separate)		Game	45 x 45	
430	523	1652	Any	Swim Pool Spectator Seating	Vary	Seat		
431	523	1652	Any	Fixed Bleacher	Vary	Seat		
432	523	1652	Any	Folding Bleacher	Vary	Seat		
433	523	1652	Any	Folding Bleacher Stack Area	Facility		As Required	
<u>Athletic or PE Services</u>								
434	525	1653	Fac & Staff	Locker Space (Faculty)	Vary			16
435	525	1653	UG	Locker Space (Student)	Vary			8
436	525	1653	UG	Locker Space (Team)	Vary			12-16
437	525	1653	UG	Toilet Room	Facility		As Required	
438	525	1653	UG	Shower Room	Facility		As Required	
439	525	1653	UG	Drying Room	Facility		As Required	
440	525	1653	UG	Dress Cubicles	Facility		As Required	
441	525	1653	UG	Equip. Control Room	Facility		240	
442	525	1653	UG	Equip. Storage (Men)	Facility		360	
443	525	1653	UG	Equip. Storage (Women)	Facility		360	
444	525	1653	UG	First Aid Room	Facility		240	
445	525	1653	UG	Training Room	<5000	Enrollment	600	
446	525	1653	UG	Training Room	>5000	Enrollment	720	
447	525	1653	UG	Uniform Drying Room	<5000	Enrollment	180	

500 Special Use Facilities

Athletic or Physical Education

Item No.	AiM - FICM Code 500	Former PSI Code	Academic Level	Room Name Aim - Location	Determinant Capacity	User	Square Foot per Location	Square Foot per Station
448	525	1653	UG	Uniform Drying Room	>5000	Enrollment	300	
449	525	1653	UG	Laundry Room	Facility		400	
450	525	1653	UG	General Equipment Storage	<5000	Enrollment	1500	
451	525	1653	UG	General Equipment Storage	>5000	Enrollment	3000	
452	525	1653	UG	Outdoor Equipment Storage	<5000	Enrollment	1000	
453	525	1653	UG	Outdoor Equipment Storage	>5000	Enrollment	2000	
454	525	1653	UG	Equipment repair Shop	Facility		480	
Note: Locker Space Requirements are determined by: the size, shape, and arrangement of the individual lockers including the aisle/bench area and cross aisle design.								

500 Special Use Facilities

Organized Activity

item No.	AiM - FICM Code 500	Former PSI Code	Academic Level	Room Name Aim - Location	Determinant Capacity	User	Square Foot per Location	Square Foot per Station
<u>Organized Activity Units</u>								
<u>Demonstration Schools</u>								
455	550	1800	Primary & Secondary	Classrooms K-12	Vary	Pupil	NYS Education Dept. Min. Guidelines	
456	550	1800	Primary & Secondary	Science/Industrial Arts, Home Economics Labs, Art/Music Studio, Gym, Library, Cafeteria, Auditorium, etc.	Vary	Pupil	NYS Education Dept. Min. Guidelines	
457	550	1800	Admin	School Admin. Offices			NYS Education Dept. Min. Guidelines	
<u>Practice Teaching</u>								
458	550	1501	UD & Grad	Observation (Room)	30	Station	600	20
459	555	1551	UD & Grad	Teachers Resources Centers.	Facility		2000	
460	555	1551	UD & Grad	Workroom	Facility		240	
461	555	1551	UD & Grad	T.V. Program Orig. Room	Facility		800	
462	555	1551	UD & Grad	Control Room	Facility		180	
463	555	1551	UD & Grad	Storage & Repair	Facility		180	
464	550	1501	UD & Grad	Counseling Room	2	Occupant	100	
465	550	1501	UD & Grad	Remedial Reading Ctr.	30	Pupil	780	26
466	550	1501	UD & Grad	Speech Therapy Rm.	20	Pupil	440	22
467	550	1501	UD & Grad	Group Counsel. Room	10	Student	220	22
468	550	1501	UD & Grad	Audiometric Room	Facility		80	
469	550	1501	UD & Grad	Recording Room	Facility		80	
470	550	1501	UD & Grad	Observation Room	10	Student	240	24
<u>Farm Groups</u>								
471	590	1500/01	LD				No Standards	
<u>Organized Research Units</u>								
Experimental Stations/Science Research Center and Institutes:								
472	250.10	2001	UD & Higher	Research Facilities		<3000 FTE 30 sf/fte faculty		
473	255	2150	UD & Higher	Research Facility Service		>3000 FTE 40 sf/fte faculty		
474	250.10	3700	Staff	Research Office		major research 250 sf/fte faculty health science 400 s/fte faculty		

600 General Use Facilities

Assembly & Exhibition

Item No.	AiM - FICM Code 600	Former PSI Code	Academic Level	Room Name Aim - Location	Determinant Capacity	User	Square Foot per Location	Square Foot per Station
<u>Assembly Seating & Stage</u>								
475	610	6500	Any	"Little Theater" Seating	Vary	Occupant		16
476	615	6502	Any	Stage	Vary	Occupant		8
477	615	6502	Any	Prop and Stockroom	Vary	Occupant		6
478	615	6502	Any	Chair Storage	Vary	Occupant		2
479	610	6500	Any	"College Theater"	Facility		4400	10
480	615	6502	Any	Orchestra Pit	Facility		360	
481	615	6502	Any	Stage (House)	Facility		3060	
482	615	6502	Any	Box Office	Facility		60	
483	615	6502	Any	Check Room	Vary	Audience		1/seat
484	615	6502	Any	Projection/Control/Lighting	Facility		180	
485	615	6502	Any	Stage Craft Studio	Facility		1200	
486	615	6502	Any	Scene Storage	Facility		480	
487	615	6502	Any	Light Equipment Storage	Facility		120	
488	615	6502	Any	Inactive Storage	Facility		960	
489	615	6502	Any	Costume Shop/Storage	Facility		720	
490	615	6502	Any	Laundry	Facility		120	
491	615	6502	Any	Dressing Room	Vary	Occupant	360	20
492	615	6502	Any	Individual Dressing Rm.	1	Occupant	150	150
493	615	6502	Any	Quick Changing Room	Vary	Occupant		18.75
494	615	6502	Any	Make-up Room			180	20
495	615	6502	Any	Green Room			600	12
496	615	6502	Any	Kitchenette			80	
497	615	6502	Any	Director Offices	1	Director		180
<u>Arena Theater</u>								
498	610	6500	Any	Audience Area	Vary	Seat		15/seat
499	615	6502	Any	Acting Area		Varies	840	5/occupancy
500	615	6502	Any	Wing Space		Acting Area	2.5xActing Area	
501	615	6502	Any	Control Booth	Facility		240	
<u>Theatre</u>								
502	610	6500	Any	Auditorium	Vary	Seat		10
503	615	6502	Any	Orchestra Pit	Vary	Musician		18
504	615	6502	Any	Stage		Audience		2/seat
505	615	6502	Any	Projection/Control Booth	Facility		300	
506	615	6502	Any	Radio Studio/Workshop	Facility		1200	
507	615	6502	Any	Storage		Audience		6/seat
508	615	6502	Any	Dressing Room	1	Actor		20
509	615	6502	Any	Quick Change Room	1 or 2	Actor		75
510	615	6502	Any	Costume Shop & Storage	Facility		600	
511	615	6502	Any	Stage Craft Studio	Facility		2000	
512	615	6502	Any	Green Room	Vary	Occupant		12
513	615	6502	Any	Kitchenette	Facility		50	
<u>Exhibition Facilities & Service</u>								
514	620	6600	Any	Exhibition Gallery	< 5000	Enrollment	2000	
515	620	6600	Any	Exhibition Gallery	> 5000	Enrollment	3000	
516	620	6600	Any	Workroom & Storage	Facility		750	
517	620	6600	Any	Kitchenette	Facility		100	
		6600	Any	Lounge	Facility		750	
<u>Assembly Room</u>								
518	610	1100*	Any	"Assembly Room"	> 120	Student		20
519	615	1250*	Any	"Assembly Room" Service		Facility	480	

600 General Use Facilities

Student & Faculty Activity

Item No.	AiM - FICM Code 600	Former PSI Code	Academic Level	Room Name Aim - Location	Determinant Capacity	User	Square Foot per Location	Square Foot per Station
<u>Auxiliary Food & Service</u>								
520	630	6007	Any	Faculty Dining Room	Vary	Faculty		25
521	630	6007	Any	Cafeteria	Vary	Student		25
522	630	6007	Any	Coffee Shop & Snack bar	Vary	Student		18
523	635	6052	Any	Kitchen & Service Area	Facility		By Design	
<u>Day Care</u>								
524	640		Any	Day Care	Vary	Occupants		35
525	645		Any	Day Care Service				included above
526	640		Any	Nursing Room	Vary	Occupants		35
<u>Student Lounge</u>								
527	650	6002	Any	Main Lounge	Vary	Student		20
528	650	6002	Any	Auxiliary Lounge	Vary	Student		20
529	650	6002	Any	Reception Room	Vary	Student	180 Min.	18
530	650	6002	Any	Student Commons	Vary	Student		20-24
531	650	6002	Any	if Acad. Bldgs.<30,000 GSF	Bldg.	Size	800	
532	650	6002	Any	if 30000 - 60000 GSF	Bldg.	Size	1500	
533	650	6002	Any	if > 60000 GSF	Bldg.	Size	2400	
<u>Faculty & Staff Lounges</u>								
534	650.10	6006	Staff	Faculty/Employee Lounge	Vary	Faculty		20
535	655	6050	Staff	Employee Toilets	Facility		As Required	
536	655	6006	Any	Kitchenette-Lounge Service			80	
<u>Merchandising Facilities</u>								
537	660	6004	Any	Barber Shop	Facility		240	
538	660	6004	Any	Book Store (Sales)		Enrollment	1nasf/fte	
539	660	6004	Any	Stockroom	Total	Area	1/2 Sales Area	
540	660	6004	Any	Receiving Room	Total	Area	1/10 Stock Room	
541	660	6004	Any	Office	Facility		120	
542	660	6004	Any	Clerical	Vary	Clerk		120
543	660	6004	Any	Post Office: Public Space	Vary	PO Box		0.625/box
544	660	6004	Any	Work Space	Vary	PO Box		0.625/box
545	660	6004	Any	Receiving & Dock	Total	Work Space	1/10 Workspace	
546	660	6004	Any	Guest Rooms	1	Occupant	160/unit	
547	660	6004	Any	Guest Dorms		Occupant	140/unit	
548	665	6004	Any	Toilets & Bath	Facility		As Requires	
<u>Student Activity & Service</u>								
549	670	6001	Any	Study Lounge	Vary	Student		25
550	670	6001	Any	Reading Room	Vary	Student		20
551	670	6001	Any	Quiet Room	Vary	Student		25
552	670	6001	Any	Television Room	Vary	Student		20
553	670	6001	Any	Game Room	Vary	Student		20
554	670	6001	Any	Recreation Room	Vary	Student		100
555	675	6050	Any	Game Control & Storage	Total	Station		3
556	670	6001	Any	Bowling Alleys	Facility		600/lane	
557	675	6050	Any	Social Room	Vary	Occupant		12
558	675	6050	Any	Audio & Control	Facility		100	
559	675	6050	Any	Stage Area	Facility		500-750	
560	675	6050	Any	Storage	Facility		600	
561	675	6050	Any	Projection Booth	Facility		80	

600 General Use Facilities

Student & Faculty Activity

Item No.	AiM - FICM Code 600	Former PSI Code	Academic Level	Room Name Aim - Location	Determinant Capacity	User	Square Foot per Location	Square Foot per Station
562	675	6050	Any	Dressing Rooms	Vary		150	
563	675	6050	Any	Serving Room	Total		12%of Social Room	
564	675	6050	Any	Storage-Recreation Service	Total	Occupant		0.5
565	675	6050	Any	Checkroom	Facility		450	
566	675	6050	Any	Day Student Lockers	Vary	Locker		6/locker
567	675	6050	Staff	Full-time Employee Lockers	Vary	Locker		15/locker
568	675	6050	Staff	Student Employee. Lockers	Vary	Locker		15/locker
<u>Student Organization</u>								
569	680	6003	Any	Student Govt. Office	Facility		120	
570	680	6003	Any	Conference Room	Facility		120	
571	680	6003	Any	Workroom	Facility		240	
572	680	6003	Any	Storage	Facility		100	
573	680	6001/03	Any	Student Workshop	Facility		600	
574	680	6001/03	Any	Assembly Room	Vary	Occupant		20
575	685	6001/03	Any	Shop Storage	Total	Shop	21% of Shop Area	
<u>Lactation Room (if Needed)</u>								
576	675		Any	Lactation Room	Facility	Occupant	80	

700 Support Facilities

Central Services

Item No.	AiM - FICM	Former	Academic	Room Name	NSF Standard per Location Based on Enrollment		
	Code 700	PSI Code	Level	Aim - Location	Over 5000	2000-5000	Under 2000
<u>Maintenance Shop</u>							
577	720	7004	Any	Printing Shop	300	225	150
578	720	7004	Any	Lock Shop	180	180	180
579	720	7004	Any	Carpenter Shop	2400	1920	1920
580	720	7004	Any	Electric Shop	1500	720	720
581	720	7004	Any	Plumbing Shop	3000	2000	2000
582	720	7004	Any	Paint Shop	1440	720	720
583	740	7006	Any	Repair Shop & Garage	4800	4320	2880
584	725	7057	Any	Tool Room & Office	240	180	180
<u>Central Storage</u>							
585	730	7005	Any	Issue Room	180	180	180
586	730	7005	Any	Storage Warehouse	7200	5760	4800
587	730	7005	Any	Storage Stalls	3360	2016	1008
<u>Central Food Service</u>							
588	755	7052	Any	Dry Bulk Food Storage	5400	3600	
589	755	7052	Any	Receive & Pickup	360	360	
590	755	7052	Any	Vegetable Storage	1800	1200	
591	750	7001	Any	Vegetable Prep.	960	480	
592	755	7052	Any	Refrigerator. Storage	432	432	
593	750	7001	Any	Meat Process	1200	960	
594	755	7052	Any	Refrigerator	1800	1440	
595	755	7052	Any	Frozen Storage	1200	720	
596	750	7001	Any	Bakery	1500	960	
597	755	7052	Any	Storage	900	800	
598	755	7052	Any	Refrigerator	150	150	

800 Health Care Facilities Infirmiry & Clinic (not Hospital)*

Item No.	AiM - FICM Code 800	Former PSI Code	Academic Level	Room Name Aim - Location	Determinant Capacity	User	Square Foot per Location	Square Foot per Station
<u>Examination & Treatment</u>								
599	850	9006	Any	Exam & Treatment Room	Facility		180	
600	810	9006	Any	Recovery & Prep Room	Facility		100	
601	810	9006	Any	Two-Bed Room	2	Patient	200	100
602	810	9006	Any	Isolation Bedroom	1	Patient	120	120
603	855	9056	Any	Bath or Toilet	Facility		50	
604	855	9056	Any	Bathroom	Facility		50	50/4 beds
<u>Infirmiry Service & Administration</u>								
605	855	9056	Any	Clean Utility & Supply	Facility		120	
606	855	9056	Any	Unclean Utility Room	Facility		100	
607	855	9056	Any	Diagnostic Laboratory	Facility		240	
608	855	9056	Any	Pharmacy	Facility		120	
609	855	9056	Any	Central Storage	Facility		800	
<u>Nursing Units</u>								
610	830	9056	Staff	Nurses Station	2	Nurse	180 Min	90
611	835	9056	Staff	Nurses Toilet	Facility		40	40
612	870	9056	Any	Soiled Area	Each	Unit		100
613	835	9056	Any	Kitchenette	Each	Unit		120
614	870	9056	Any	Linen Room	Each	Unit		100
615	870	9056	Any	Equip. Storage	Each	Unit		100
616	870	9056	Any	Central Supply	Each	Unit		150
617	870	9056	Any	Central Supply	Facility		750	
618	880	9056	Any	Reception (Visit) Room	Each	Unit	180	
619	880	9056	Any	Lounge (Day Room)	Facility		480	
620	880	9056	Any	Waiting Room	< 5000	Enrollment	600	
621	880	9056	Any	Waiting Room	> 5000	Enrollment	800	
622	870	9056	Any	Storage	Facility		100	
623	830	9056	Any	Records Room	< 5000	Enrollment	240	
624	830	9056	Any	Records Room	> 5000	Enrollment	300	
625	830	9056	Any	Director Office	1	Admin	120	120
626	830	9056	Any	Nurses Office	1	Admin	120	120
627	830	9056	Any	Clerical/Steno	1 or 2	Clerk		120
628	830	9056	Any	Clerical/Steno	> 3	Clerk		80
629	830	9056	Any	Conference Room	Facility		180	
630	830	9056	Staff	Staff Room (Lounge)	Facility		180	
631	835	9056	Staff	Staff Toilets	Facility		40	
<u>Teaching Clinic</u>								
632	850	8000/02	Grad/Prof	Standards		Health Science	400/fte faculty	
633	855	8050/52		Standards				
<u>Dental Clinics</u>								
634	850	8004/54	UG/Prof	Standards		Health Science	400/fte faculty	
<u>Vet Clinic</u>								
635	850	8005/06	Grad	Standards		Health Science	400/fte faculty	
636	855	8055/56	Prof	Standards				
* Not include standards for Hospitals.								

WXYZ Non-Assignable

Circulation, Building Service & Mechanical Area

item No.	AiM - FICM Code WXY	Former PSI Code	Academic Level	Room Name Aim - Location	NSF Standard per Location Based on Enrollment		
					Over 5000	2000-5000	Under 2000
<u>Circulation Area</u>							
637	W02	7500	Any	Elevator	Facility		As Required
638	W04	7500	Any	Receiving Space	Facility		360
639	W04	7500	Any	Dock	Facility		As Required
640	W05	7500	Any	Entrance Vestibule	Facility		As Required
641	W05	7500	Any	Main Lobby: Lobbies	Facility		As Required
642	W05	7500	Any	Box office	Facility		60
643	W05	7500	Any	Coat Check Room	Facility		As Required
<u>Building Services</u>							
644	X01	7500	Any	Janitor (Custody) Room	Facility		120
645	X01	7500	Any	Bldg. Maintenance. Storage	Facility		600
646	X01	7500	Any	Janitor's Closet	Facility		As Required
647	X03	7700	Any	Toilets	Facility		As Required
648	X04	7500	Any	Trash Room	Facility		240
649	X05	7500	Any	Bldg. Maintenance Supply Room	Facility		600
<u>Mechanical Area</u>							
650	Y01	7700	Any	Boiler Room	Facility		As Required
651	Y04	7500	Any	IT Closet	Facility		As Required
652	Y04	7500	Any	Dead Storage	Facility		1500
653	Y04	7700	Any	Utilities Service	Facility		As Required
654	Y04	7700	Any	Electric Service	Facility		As Required
655	Y04	7700	Any	Mechanical Equipment Room	Facility		As Required
656	Y04	7700	Any	Transformer Vault	Facility		As Required
657	Z00	7800	Any	Excavated Basement	Facility		As Required